## ชื่อ นางสาววิไลรัตน์ เจริญศรีวีริยะกุล รหัสนิสิต 531055**4254**

กด icon Arctoolbox=>Data Management Tools=>Projection and Transformations=>Define Projection



## ทำการตั้งค่าดังรูป



กดที่ Feature Class=>Create feature Class



ตั้งค่าดังรูป ทำอีก 2 รอบ โดยเปลี่ยนชื่อ Feature Class Name เป็น ku\_point ตั้ง Geometry type เป็น point และ ku\_road ตั้ง Geometry type เป็น poly line

*	Create Feature Class		- 🗆 🗙
Feature Class Location		_ ^	Create Feature Class
D:\ku\gis\lab2		<b>2</b>	
Feature Class Name			Creates an empty feature
KU_BUILDING			class in an ArcSDE, file, or
Geometry Type (optional)			personal geodatabase; in a
POLYGON		~	folder it creates a shapefile.
Template Feature Class (optional)		_	
	•	<b>1</b>	
		+	
		_	
		×	
		Ť	
		+	
		<u> </u>	
Has M (optional)		Ť	
0	K Cancel Environments << Hi	ide Help	Tool Help

ไปที่ Georeferencing=>link Table

Georeferencing

Add Control Points=>double click=> ตั้งค่าตัวเลขที่ทำการรังวัดในสนามใน X Map Y Map ทำให้ได้ 4 จุด

			Link Table		?	×
Link	X Source	Y Source	Х Мар	Ү Мар	Residual	×
1	402.034561	-376.853348	669201.470000	1531744.200000	0.00000	
2	445.677225	-247.273862	669245.112664	1531872.590878	0.00000	
3	876.109592	-310.787605	669671.822774	1531808.406071	0.00000	
4	880.080546	-445.006375	669675.388597	1531675.282025	0.00000	
¢						
Auto A	diust	Transformation	1st Order Pol	vnomial (Affine)		
	ajast	Tansiomadon.	1st Order Por	ynomiai (Arnine)	*	
otal RMS	Error:	0.00000				

~ X

## Editor=>Start Editing



Create Features=>ku\_building=>Polygon=>วาดรูปที่อาคาร=>Finish Sketch

Q lab2 29-7-56 - ArcMap - ArcInfo	at far ing Manfild Manfild Manfild	
File Edit View Bookmarks Insert	Selection Geoprocessing Customize Windows Help	
· C 😆 🖶 😂 🛸 🗐 🙆 × I ち つ	🚸 - 🚽 🔣 🖾 🗊 🗊 🗊 💭 🦫 א? 🖕	
1		
		ArcToolbox
	Editory 下版 / Z AF 示 [4] 時 甲 X 9] 目 0   1 日	Conversion Loois
Table Of Contents 4 ×		Ouick Export
	Anath Easterna	Quick Import
🗉 🥌 Layers	Create reduces (6)	😑 🍣 Data Management Tools
	· · · · · · · · · · · · · · · · · · ·	🗊 🚯 Data Comparison
⊨ 🔽 ku road	ku_building	Database     Distributed Geodatabase
	ku_building	B Somains
😑 🗹 ku_building	ku_point	E Seature Class
	a ujont	Append Annotation Feature Classe
B B pict.til	ku_road	Calculate Default Spatial Grid Index
Red: Band_1	- M Trag	Create Feature Class
Green: Band_2		Create Fishnet
Blue: Band_3		
		Integrate
		Update Annotation Feature Class
		Add XY Coordinates
		Adjust 3D Z
		Check Geometry
		Delete Features
		Dice
		Feature Envelope to Polygon
	Reconception Task	
		Feature To Point
	Select a template.	
		668956.155 1532094.54 Unknown Units
📀 🖉 🖸 🕹		EN 🔺 🙀 🛱til 🌒 8:42 22/8/2556

คลิกขวาที่ ku\_building=>Open Attribute Table=>Table Options=>Add field

Q lab2 29-7-56 - ArcMap - ArcInfo								
File Edit View Bookmarks Inse	rt Selec	tion Geopro	cessing Customize Wir	ndows Hel	p			
🗄 🔂 🖨 🖓 🛞 🖻 🗙 🗠	C .	•		J 🗟 🚳	E 🐎 x? 🖕			
े 🔍 🔍 🥙 🥥 💥 🖂 🔶 🔶 🔯	• 🗉 🛛	k 🚺 🖉 🛡	🗉 🔛 🗚 📸 👷 🔟					
	127	· 41 - 14	く 白 ち。 回回	m 🖾 🖻	III II II III 87%. 🕞 🖻 🔒 💁 🖕			
Table Of Contents 7 ×	Table					8		<u>^</u> 🐻
	-	B- ₽.	3 ⊡ @ ×					Cata
E Zayers	ku_poi	int				×		00
		FID	Shape *	ld	Name	-		
E M Ku_road		0	Point	0	Α			Searc
E 🗹 ku_building		1	Point	0	В			5
		2	Point	0	С			
Red: Band_1		3	Point	0	D			
Blue: Band_3		4	Point	0	E		1	
		5	Point	0	F	_		Ħ
		6	Point	0	G			
		7	Point	0	Н		.2m	
		8	Point	0	1			
		9	Point	0	J		10 T	
		10	Point	0	K	-	ole earth	
	14	• 1	<ul> <li>&gt;1</li> <li>O out of</li> </ul>	11 Selected)			n 150m. O	
	ku_po	int						
	-							
	la la l	0.4			m			
	,=						668459.241	1532046.665 Unknown Units
		0				-	EN 🔺	8:32 1 .ul () 8:32

ตั้งชื่อตามรูป

	Add Field	? ×
<u>N</u> ame:	name	
<u>T</u> ype:	Text	~
Field Prop	erties	
Length	50	
	ОК	Cancel

ทำหัวข้อ road และ point ต่างๆ

Q lab2 29-7-56 - ArcMap - ArcInfo			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	State Inter Manual	and store and the second store in the second store is not a second store in the second store is not a second st	
File Edit View Bookmarks	Insert	Selection	Geoprocessing Customize	Windows Help			
1 🗋 😝 🖨 🖄 🏥 🛍 🗙	1 m m	••	× .	🔲 🗊 👼 🖾 🐎 🛛	N? -		
🔍 🔍 🖉 🥥 💥 🖸 🔶 🔿	- 🖏	🖾   🔭   🤇	) / 💷 🔛 🗛 🖧 🕺	I 🗔 I 🖳 🖕			
	-[	Z C 14	-   々 人   白   り <b> </b>   岡 		874	. 4 6 9	ArcToolbox
Table Of Contents # X		: Cui					Onversion roots     Onversion roots     Onversion roots     Onversion roots
No. 0 😞 🚨 🖂							Quick Export
E S Layers		Table					Quick Import     Data Management Tools
🖃 🗹 ku_point		: - E	-   🖬 🚱 🛛 🖉 🗙				💼 🗞 Data Comparison
		ku_road		× Distributed Goodstabase			
-			FID	Shape *	ld		Domains
😑 🗹 ku_building				DUI			E S Feature Class
pic1.tif		· -	U	Polyline	1	-	Append Annotation Feature Classe     Calculate Default Spatial Grid Index
RGB			1	Polyline	2		Calculate Default XY Tolerance
Red: Band_1			2	Polyline	3	-	Create Feature Class
Blue: Band_3			-	Debiline	4	-	E Create Pismet
			3	Polyline	4	-	Integrate
			4	Polyline	5		Update Annotation Feature Class
			5	Polyline	6		Add XY Coordinates
			6	Polvline	7		
			7	Polyline	8		Check Geometry
			0	Debdies	0	-	
			8	Polyline	9	-	Dice
			9	Polyline	0		Feature To Line
			10	Polyline	10		- Feature To Point
		14 4	1 · · ·	🥕 (0 out of 13 Selected)			reacure to Polygon
		ku_road					
							668475.749 1531922.849 Unknown Units
🛞 🖉 🖸	٧	0		3 🔇 🚿			EN 🄺 💘 ଜ 대비 🌒 8:44 22/8/2556

## ผลการทดลอง







